

### **COVID-19 MONTHLY DATA REPORT - August**

## **Table of Contents**

**Phoenix** 

Mesa

Chandler

**Scottsdale** 

<u>Gilbert</u>

<u>Glendale</u>

**Tempe** 

**Peoria** 

<u>Surprise</u>

**Avondale** 

Goodyear

**Buckeye** 

**Queen Creek** 

**Apache Junction** 

El Mirage

**Fountain Hills** 

Paradise Valley

**Wickenburg** 

**Tolleson** 

**Youngtown** 

<u>Guadalupe</u>

**Litchfield Park** 

**Cave Creek** 

Carefree

Gila Bend



# Phoenix, AZ

Population: 1,680,992

### Where were you in August?

Phoenix was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Phoenix
August (week 1)	77.0	88.3
(week 2)	60.0	69.1
(week 3)	44.0	50.6

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August.

51.0

COVID-19 cases diagnosed in **Phoenix** 

### decreased.

During the same time period, cases in Maricopa County decreased.

#### The public should:

(week 4)

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Mesa, AZ

Population: 518,012

### Where were you in August?

Mesa was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Mesa
August (week 1)	77.0	62.0
(week 2)	60.0	51.2
(week 3)	44.0	34.7
(week 4)	51.0	29.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Mesa

### decreased.

During the same time period, cases in Maricopa County decreased.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





## Chandler, AZ

Population: 261,165

### Where were you in August?

Chandler was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Chandler
August (week 1)	77.0	61.3
(week 2)	60.0	39.1
(week 3)	44.0	39.1
(week 4)	51.0	32.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Chandler** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





## Scottsdale, AZ

Population: 258.069

### Where were you in August?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Scottsdale
August (week 1)	77.0	41.1
(week 2)	60.0	33.7
(week 3)	44.0	22.5
(week 4)	51.0	37.6


A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Scottsdale** 

### decreased.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





## Gilbert, AZ

Population: 254,114

### Where were you in August?

Gilbert was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Gilbert
August (week 1)	77.0	40.5
(week 2)	60.0	37.4
(week 3)	44.0	26.0
(week 4)	51.0	32.3

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Gilbert

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Glendale, AZ

Population: 252,381

### Where were you in August?

Glendale was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Glendale
August (week 1)	77.0	80.4
(week 2)	60.0	71.7
(week 3)	44.0	43.6
(week 4)	51.0	34.1

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Glendale** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Tempe, AZ

Population: 195,805

### Where were you in August?

Tempe was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Tempe
August (week 1)	77.0	41.9
(week 2)	60.0	34.7
(week 3)	44.0	47.0
(week 4)	51.0	298.8

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Tempe** 

### increased.

During the same time period, cases in Maricopa County decreased.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Peoria, AZ

Population: 175,961

### Where were you in August?

Peoria was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Peoria
August (week 1)	77.0	59.7
(week 2)	60.0	50.0
(week 3)	44.0	32.4
(week 4)	51.0	22.2

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Peoria** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Surprise, AZ

Population: 141,664

### Where were you in August?

Surprise was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Surprise
August (week 1)	77.0	57.9
(week 2)	60.0	33.2
(week 3)	44.0	20.5
(week 4)	51.0	20.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Surprise** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Avondale, AZ

Population: 87,931

### Where were you in August?

Avondale was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Avondale
August (week 1)	77.0	97.8
(week 2)	60.0	87.6
(week 3)	44.0	35.3
(week 4)	51.0	42.1

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Avondale** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Goodyear, AZ

Population: 86.840

### Where were you in August?

Goodyear was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Goodyear
August (week 1)	77.0	96.7
(week 2)	60.0	94.4
(week 3)	44.0	31.1
(week 4)	51.0	43.8

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Goodyear

### decreased.

During the same time period, cases in Maricopa County decreased.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.



## Buckeye, AZ

Population: 79,620

### Where were you in August?

Buckeye was **Similar** 

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Buckeye
August (week 1)	77.0	85.4
(week 2)	60.0	69.1
(week 3)	44.0	92.9
(week 4)	51.0	66.6


A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Buckeye

### stayed the same.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Queen Creek, AZ

Population: 50.890

### Where were you in August?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Queen Creek
August (week 1)	77.0	39.3
(week 2)	60.0	41.3
(week 3)	44.0	23.6
(week 4)	51.0	21.6

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Queen Creek

### decreased.

During the same time period, cases in Maricopa County decreased.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.



# Apache Junction, AZ

Population: 42,571

### Where were you in August?

Apache Junction was less

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	<b>Apache Junction</b>
August (week 1)	77.0	4.7
(week 2)	60.0	2.3
(week 3)	44.0	0.0
(week 4)	51.0	0.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August, COVID-19 cases diagnosed in Apache Junction

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# El Mirage, AZ

Population: 35,753

### Where were you in August?

El Mirage was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	El Mirage
August (week 1)	77.0	125.9
(week 2)	60.0	97.9
(week 3)	44.0	53.1
(week 4)	51.0	44.8


A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in El Mirage

### decreased.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Fountain Hills, AZ

Population: 25,200

### Where were you in August?

Fountain Hills was less

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	<b>Maricopa County</b>	Fountain Hills
August (week 1)	77.0	19.8
(week 2)	60.0	11.9
(week 3)	44.0	27.8
(week 4)	51.0	19.8

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August, COVID-19 cases diagnosed in Fountain Hills

### increased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Paradise Valley, AZ

Population: 14,637

### Where were you in August?

Paradise Valley was less

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	<b>Maricopa County</b>	Paradise Valley
August (week 1)	77.0	6.8
(week 2)	60.0	6.8
(week 3)	44.0	27.3
(week 4)	51.0	20.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August, COVID-19 cases diagnosed in Paradise Valley

### increased.

During the same time period, cases in Maricopa County decreased.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Wickenburg, AZ

Population: 8.092

### Where were you in August?

Wickenburg was **ESS** 

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Wickenburg
August (week 1)	77.0	0.0
(week 2)	60.0	12.4
(week 3)	44.0	0.0
(week 4)	51.0	12.4

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Wickenburg

### stayed the same.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Tolleson, AZ

Population: 7,372

### Where were you in August?

Tolleson was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Tolleson
August (week 1)	77.0	108.5
(week 2)	60.0	108.5
(week 3)	44.0	40.7
(week 4)	51.0	27.1

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in **Tolleson** 

### decreased.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Youngtown, AZ

Population: 6.898

### Where were you in August?

Youngtown was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Youngtown
August (week 1)	77.0	116.6
(week 2)	60.0	145.8
(week 3)	44.0	29.2
(week 4)	51.0	43.7

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Youngtown

### decreased.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Guadalupe, AZ

Population: 6.631

### Where were you in August?

Guadalupe was A hot spot\*







COVID-19 case rate per 100,000 persons		
	Maricopa County	Guadalupe
August (week 1)	77.0	196.0
(week 2)	60.0	120.6
(week 3)	44.0	90.5
(week 4)	51.0	15.1

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August, COVID-19 cases diagnosed in **Guadalupe** 

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

Because Guadalupe is a COVID-19 hot spot within Maricopa County, Guadalupe should increase messaging to its residents about these recommendations.

Maricopa County will continue increased community testing events in Guadalupe.





# Litchfield Park, AZ

Population: 6,436

### Where were you in August?

Litchfield Park was less

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Litchfield Park
August (week 1)	77.0	15.5
(week 2)	60.0	31.1
(week 3)	44.0	15.5
(week 4)	51.0	15.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different nonulation sizes.

From the beginning of August to the end of August, COVID-19 cases diagnosed in Litchfield Park

### decreased.

During the same time period, cases in Maricopa County decreased.

### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Cave Creek, AZ

Population: 5.838

### Where were you in August?

Cave Creek was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Cave Creek
August (week 1)	77.0	34.3
(week 2)	60.0	51.4
(week 3)	44.0	17.1
(week 4)	51.0	68.5

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Cave Creek

### stayed the same.

During the same time period, cases in Maricopa County decreased.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.




# Carefree, AZ

Population: 3,876

### Where were you in August?

Carefree was **ESS** 

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Carefree
August (week 1)	77.0	0.0
(week 2)	60.0	25.5
(week 3)	44.0	0.0
(week 4)	51.0	25.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Carefree

### stayed the same.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Gila Bend, AZ

Population: 2.094

### Where were you in August?

Gila Bend was **ESS** 

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons		
	Maricopa County	Gila Bend
August (week 1)	77.0	0.0
(week 2)	60.0	47.6
(week 3)	44.0	0.0
(week 4)	51.0	0.0

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the beginning of August to the end of August,

COVID-19 cases diagnosed in Gila Bend

### decreased.

During the same time period, cases in Maricopa County decreased.



- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.

